

# Disk L

HodgePodge



Published: January 2026

## Disk L
















### Product Specification



HodgePodge is a clever and versatile combination of play equipment and climbing structures that can be used anywhere and for numerous activities. Climbing trees, Wasps' nest, zip lines, swings and carousels for fun and excitement.

The tilted orientation creates an up-and-down motion as the child spins around helping them learn how to control their movements to sustain the spinning action.

# Disk L

## 90.260.301.1

	Product Family	<b>HodgePodge</b>
	Length x Width x Height (m) Length x Width x Height ("")	<b>1,7 x 1,7 x 0,8</b> <b>5-6 x 5-6 x 2-4</b>
	Protective Surfacing Area acc. to DIN EN 1176 (m) Protective Surfacing Area acc. to ASTM/CSA (m) Protective Surfacing Area acc. to ASTM/CSA ("")	<b>7,7 x 7,7</b> <b>7,2 x 7,2</b> <b>23-6 x 23-6</b>
	Fall Height acc. to EN 1176 (m) Fall Height acc. to ASTM/CSA ("")	<b>0,71</b> <b>2-4</b>
	Age	<b>5-12</b>
	Minimum Space required acc. to DIN EN 1176 (m <sup>2</sup> ) Minimum Space required acc. to ASTM 1487 (ft <sup>2</sup> )	<b>46,1</b> <b>431,6</b>
	Number of Foundations	<b>1</b>
	Concrete Volume C20/C25 (m <sup>3</sup> ) Concrete Volume C20/C25 (ft <sup>3</sup> )	<b>0,8</b> <b>28,3</b>
	Number of skilled Installers required	<b>3</b>
	Installation Time without Foundation	<b>1 hours</b>
	Dimensions of largest Part (m) Dimensions of largest Part ("")	<b>1,7 x 1,7 x 1,2</b> <b>5-7 x 5-7 x 4-0</b>
	Weight of heaviest Part (kg) Weight of heaviest Part (lbs)	<b>250,0</b> <b>551,2</b>
	Shipping Volume (m <sup>3</sup> ) Shipping Volume (ft <sup>3</sup> )	<b>6,0</b> <b>211,9</b>
	Total Weight (kg) Total Weight (lbs)	<b>360,0</b> <b>793,7</b>
	Spare Part Guarantee	<b>Lifelong</b>



1:200

The dimensions of the equipment and protective surfacing area have been rounded up to one decimal digit.

## Technical Data

Technical changes are reserved.  
The following text can also be used for tenders.

### Turntable:

Concave stainless bowl, the cheeks are welded with stainless steel handrails  
Ø 60,3 mm (2 3/8"). Total diameter approx. Ø 1660 mm (5'-6").

### Stand:

5° inclined stainless steel base tube Ø 323,9 mm (1'-1") with stainless steel cover  
tube Ø 355,6 mm (1'-1").

### Bearing:

Fully encapsulated bearing.

### Coating:

EPDM-rubber-coating area within the Disk.